



IV MEĐUNARODNA ONLINE KONFERENCIJA

ZDRAVLJE SPORT REKREACIJA

14. maj 2021. godine, Beograd

4TH INTERNATIONAL ONLINE CONFERENCE

HEALTH SPORT RECREATION

14th May 2021, Belgrade

conference.vss.edu.rs

**FOURTH INTERNATIONAL SCIENTIFIC CONFERENCE
„HEALTH, SPORT, RECREATION“**

**ČETVRTA MEĐUNARODNA NAUČNA KONFERENCIJA
„ZDRAVLJE, SPORT, REKREACIJA“**

BOOK OF ABSTRACTS



ZBORNİK SAŽETAKA

**COLLEGE OF SPORTS AND HEALTH /
VISOKA SPORTSKA I ZDRAVSTVENA ŠKOLA**

BELGRADE, SERBIA / BEOGRAD, SRBIJA

MAY 14th, 2021 / 14. MAJ 2021.

Organiser of the Conference:

College of Sports and Health, Toše Jovanovića 11, Belgrade

Publisher:

College of Sports and Health, Toše Jovanovića 11, Belgrade

Editors:

PhD, Aleksandar Ivanovski, Prof., College of Sports and Health, Belgrade

PhD, Marijana Mladenović, Prof., College of Sports and Health, Belgrade

Biljana Đurđević, College of Sports and Health, Belgrade

Layout:

Ma, Bojan Ugrinić, College of Sports and Health, Belgrade

Graphic Design:

Ma, Bojan Ugrinić, College of Sports and Health, Belgrade

ISBN: 978-86-83687-29-9

THE EFFECTS OF AEROBIC, RESISTANCE OR COMBINED TRAINING ON METABOLIC SYNDROME CLINICAL BIOMARKERS: A SHORT REVIEW

Teixeira JE^{1,2}, Bragada JA^{1,2}, Bragada JP³, Coelho, JP³, Pinto IG³, Reis LP³, Magalhães PM¹

¹Research Centre in Sports Sciences, Health and Human Development, 5001-801 Vila Real, Portugal

²Department of Sports Sciences and Physical Education, Polytechnic Institute of Bragança, 5300-253 Bragança, Portugal

³North East Local Health Unit - Health Care Unit of Santa Maria, 5301-852 Bragança, Portugal

Abstract: Metabolic Syndrome (MetS) is a common metabolic disorder characterized by a cluster of factors include dysglycaemia, elevated blood pressure, elevated triglyceride levels, low high-density lipoprotein cholesterol levels, and central obesity. Sedentary lifestyle and low physical activity levels increased the interrelated risk for cardiovascular diseases and metabolic disorders. The aim of this short review was to analyse the effects of aerobic, resistance and combined training on MetS clinical biomarkers. Following the Preferred Reporting Item for Systematic Reviews and Meta-analyses (PRISMA), a systematic search of relevant English-language articles was performed from earliest record to March 2020. The literature search was performed by seven online databases specifically Web of Science (WoS), PubMed and SCOPUS. The literature search returned 14,912 articles (WoS=2,359; PubMed=1,392 and SCOPUS=11,161); 21 full-text articles were reviewed after screening procedures. From the reviewed studies, aerobic exercise was reported in nine studies and the resistance exercise was reported in five studies. The combined training (or multicomponent exercise) was reported in seven studies. Overall exercise modes decreases the MetS clinical biomarkers, however, the aerobic training seemed to be the most efficient exercise mode. Moreover, the resistance exercise appears to have a positive effect on MetS prevention when associated with aerobic exercise. Aerobic and resistance exercises can contribute significantly to metabolic syndrome prevention and reduce the associated risk of cardiovascular disease and metabolic disorders. Combining exercise modes (i.e. combined or multi-component training) could be a valid strategy to control the metabolic syndrome clinical biomarkers.

Keywords: metabolic syndrome; cardiovascular disease; physical activity; exercise.

References:

1. Al-Rubeaan, K., Bawazeer, N., Al Farsi, Y., Youssef, A. M., Al-Yahya, A. A., AlQumaidi, H., Al-Malki, B. M., Naji, K. A., Al-Shehri, K., & Al Rumaih, F. I. (2018). Prevalence of metabolic syndrome in Saudi Arabia—A cross sectional study. *BMC Endocrine Disorders*, 18(1), 16. <https://doi.org/10.1186/s12902-018-0244-4>
2. Harikrishnan, S., Sarma, S., Sanjay, G., Jeemon, P., Krishnan, M. N., Venugopal, K., Mohanan, P. P., Jeyaseelan, L., Thankappan, K. R., & Zachariah, G. (2018). Prevalence of metabolic syndrome and its risk factors in Kerala, South India: Analysis of a community based cross-sectional study. *PLOS ONE*, 13(3), e 0192372. <https://doi.org/10.1371/journal.pone.0192372>
3. Li, Y., Zhao, L., Yu, D., Wang, Z., & Ding, G. (2018). Metabolic syndrome prevalence and its risk factors among adults in China: A nationally representative cross-sectional study. *PLOS ONE*, 13(6), e0199293. <https://doi.org/10.1371/journal.pone.0199293>

¹ jose.eduardo@ipb.pt

4. Lin, T.-Y., Chien, K.-L., Chiu, Y.-H., Chuang, P.-C., Yen, M.-F., & Chen, H.-H. (2021). Dynamics of detailed components of metabolic syndrome associated with the risk of cardiovascular disease and death. *Scientific Reports*, 11(1), 3677. <https://doi.org/10.1038/s41598-021-83118-y>
5. Mendoza-Caamal, E. C., Barajas-Olmos, F., García-Ortiz, H., Cicerón-Arellano, I., Martínez-Hernández, A., Córdova, E. J., Esparza-Aguilar, M., Contreras-Cubas, C., Centeno-Cruz, F., Cid-Soto, M., Morales-Marín, M. E., Reséndiz-Rodríguez, A., Jiménez-Ruiz, J. L., Salas-Martínez, M. G., Saldaña-Alvarez, Y., Mirzaeicheshmeh, E., Rojas-Martínez, M. R., & Orozco, L. (2020). Metabolic syndrome in indigenous communities in Mexico: A descriptive and cross-sectional study. *BMC Public Health*, 20(1), 339. <https://doi.org/10.1186/s12889-020-8378-5>
6. Raposo, L., Severo, M., Barros, H., & Santos, A. C. (2017). The prevalence of the metabolic syndrome in Portugal: The PORMETS study. *BMC Public Health*, 17(1), 555. <https://doi.org/10.1186/s12889-017-4471-9>
7. Shin, D., Kongpakpaisarn, K., & Bohra, C. (2018). Trends in the prevalence of metabolic syndrome and its components in the United States 2007–2014. *International Journal of Cardiology*, 259, 216–219. <https://doi.org/10.1016/j.ijcard.2018.01.139>
8. Sigit, F. S., Tahapary, D. L., Trompet, S., Sartono, E., Willems van Dijk, K., Rosendaal, F. R., & de Mutsert, R. (2020). The prevalence of metabolic syndrome and its association with body fat distribution in middle-aged individuals from Indonesia and the Netherlands: A cross-sectional analysis of two population-based studies. *Diabetology & Metabolic Syndrome*, 12(1), 2. <https://doi.org/10.1186/s13098-019-0503-1>
9. Sotos-Prieto, M., Ortolá, R., Ruiz-Canela, M., Garcia-Esquinas, E., Martínez-Gómez, D., Lopez-Garcia, E., Martínez-González, M. Á., & Rodriguez-Artalejo, F. (2021). Association between the Mediterranean lifestyle, metabolic syndrome and mortality: A whole-country cohort in Spain. *Cardiovascular Diabetology*, 20(1), 5. <https://doi.org/10.1186/s12933-020-01195-1>