



**5º CONGRESSO NACIONAL EM BIOMECÂNICA**  
5<sup>th</sup> Portuguese Congress on Biomechanics

*Fórum de Cultura e Arte de Espinho – FACE*  
*Espinho – 8 e 9 de Fevereiro de 2013*

**~ PROGRAMA ~**  
~ Program ~





## **2 Organização do CNB2013 | CNB2013 Organization**

### **2.1 Comité Organizador | Organizing Committee**

- Renato M. Natal Jorge, FEUP
- João Manuel R.S. Tavares, FEUP
- Jorge Américo de Oliveira Pinto Belinha, IDMEC-FEUP
- Marco Paulo Lages Parente, IDMEC-FEUP
- Pedro Alexandre Lopes de Sousa Martins, IDMEC-FEUP

### **2.2 Comité Científico | Scientific Committee**

- |                                            |                                            |
|--------------------------------------------|--------------------------------------------|
| • Adélia Sequeira, IST-UTL                 | • Jorge Ambrósio, IST-UTL                  |
| • António Completo, Universidade de Aveiro | • José Alberto Ramos Duarte, FADEUP        |
| • António Silva, UTAD                      | • José Carlos Reis Campos, FMDUP           |
| • António Torres Marques, FEUP             | • José Manuel Casanova, FM, U.Coimbra      |
| • António Veloso, FMH-UTL                  | • José Oliveira Simões, U. Aveiro          |
| • Arcelina Marques, ISEP-IPP               | • Kostas Gianikellis, U.Extremadura-España |
| • Aurélio Faria, UBI                       | • Leandro Machado, FADEUP                  |
| • Cristina Mateo Martinez, IDMEC           | • Lidia Carvalho, UA                       |
| • Eduardo Borges Pires, IST-UTL            | • Luís Roseiro, ISEC-IPC                   |
| • Elza Fonseca, IPB                        | • Luisa Sousa, FEUP                        |
| • Fernanda Gentil, IDMEC, ESTSP-IPP        | • Manuel Gutierrez, FMUP                   |
| • Fernando Simões, IST-UTL                 | • Mário Augusto Vaz, INEGI, FEUP           |
| • Filipa Manuel Machado Sousa              | • Mario Forjaz Secca, FCT-UNL              |
| • Gilberto Costa, FMUP                     | • Miguel Tavares da Silva, IST-UTL         |
| • Helena Moreira                           | • Miguel Velhote Correia, FEUP             |
| • João Folgado, IST-UTL                    | • Paulo Piloto, IPB                        |
| • João Levy Melancia, FML, U. Lisboa       | • Paulo Rui Fernandes, IST-UTL             |
| • João MCS Abrantes, U. Lusófona           | • Ronaldo Eugénio Calçada Dias Gabriel     |
| • João Paço, Hospital CUF, FML-U. Lisboa   | • Rui Barreiros Ruben, IPL                 |
| • João Paulo Flores Fernandes, U. Minho    | • Rui Lima, IPB                            |
| • João Paulo Vilas-Boas, FADEUP            | • Rui Miranda Guedes, FEUP                 |
| • João Santos Baptista, FEUP               | • Santos Rubim, ESTSP-IPP                  |
| • Joaquim Silva Gomes, FEUP                |                                            |

### **2.3 Organização Institucional | Institutional Party**

- Laboratório de Biomecânica do Porto
- Faculdade de Engenharia da Universidade do Porto
- Instituto de Engenharia Mecânica - Pólo FEUP
- Instituto de Engenharia Mecânica e Gestão Industrial
- Sociedade Portuguesa de Biomecânica



## 6 Programa Detalhado | Detailed Program

### 6.1 Geral | General

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                        |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Secretariado</b><br>Secretariat | <b>Registo no CNB2013</b><br>CNB2013 Registration                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Sexta-feira, 08 de Fevereiro</b>   Friday, February 8 <sup>th</sup> |
| 08:00                              | Abertura da área de Registo.<br>Entrega da documentação aos delegados.<br><br>Registration area opening.<br>Individual documentation delivery.                                                                                                                                                                                                                                                                                                      |                                                                        |
| <b>Auditório</b><br>Auditorium     | <b>Cerimónia de Abertura</b><br>Opening ceremony                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Sexta-feira, 08 de Fevereiro</b>   Friday, February 8 <sup>th</sup> |
| 09:00                              | Boas vindas aos delegados.<br>Sessão de Abertura presidida por:<br>Presidente da Sociedade Portuguesa de Biomecânica: Professor Mário Vaz<br>Com a presença do Presidente da Câmara Municipal de Espinho: Dr. Pinto Moreira<br><br>Welcome to all delegates<br>Opening session by:<br>President of the Portuguese Society of Biomechanics: Professor Mário Vaz<br>With the presence of the President of the Municipal of Espinho: Dr. Pinto Moreira |                                                                        |
| <b>Auditório</b><br>Auditorium     | <b>Assembleia Geral da Sociedade Portuguesa de Biomecânica</b><br>General Assembly of the Portuguese Society of Biomechanics                                                                                                                                                                                                                                                                                                                        | <b>Sexta-feira, 08 de Fevereiro</b>   Friday, February 8 <sup>th</sup> |
| 18:00                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                        |



|                  |                          |                                                                                                                                                                 |
|------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sala 2<br>Room 2 | Sessão<br>Session<br>2.3 | <b>Biomecânica Cardiovascular, Biofluidos e Hemodinâmica</b><br>Cardiovascular and Hemodynamic Bio-fluids Biomechanics<br>Chairs: Henrique Almeida, Luisa Sousa |
|------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|

|       |      |                                                                                                                                                                                                              |
|-------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11:30 | 3223 | <b>Cell-free layer measurements in a bifurcation microchannel comparison between a manual and automatic methods</b><br>D. Bento, D. Pinho, E. Pinto, T. Yaginuma, T. Correia, J. Lima, A.I. Pereira, R. Lima |
| 11:45 | 3232 | Enhanced velocity of red blood cells in highly branched vessels: influence of vessels Diameter<br>B. Pires, L. Pimparel, D. Pinho, R. Lima, R. Dias                                                          |
| 12:00 | 3237 | Desenvolvimento de um microdispositivo biomédico para a separação de células sanguíneas<br>S. Novais, D. Pinho, A.I. Pereira, M. Mujika, S. Arana, R. Lima                                                   |
| 12:15 | 3247 | Image filtering, contrast enhancement and deformation analysis of complex anatomical conduits and microcirculation experiments<br>A.J. Joao, A.M. Gambaturo, A. Sequeira                                     |
| 12:30 | 3255 | Optimização de forma multi-objectivo de um stent coronário<br>N. Ribeiro, J. Folgado, H. Rodrigues                                                                                                           |
| 12:45 | 3306 | Numerical study of the flow of a blood analog fluid in a bifurcation with a stenosis: Pulsatile flow and elasticity of the fluid<br>S.I.S Pinto, E.D. Costa, J.B.L.M. Campos, J.M.R. Miranda.                |

|                  |                          |                                                                                                                                  |
|------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Sala 3<br>Room 3 | Sessão<br>Session<br>2.4 | <b>Biomecânica do Sistema Músculo-esquelético</b><br>Musculoskeletal System Biomechanics<br>Chairs: António Ramos, Aurélio Faria |
|------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------|

|       |      |                                                                                                                                                                                                  |
|-------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11:30 | 3089 | Utilização de técnica termográfica, para determinação de desequilíbrios musculares, durante o transporte de laptop em mochila suportada por um único ombro<br>J. Rocha, L. Queijo, J. Santos     |
| 11:45 | 3330 | Simulação numérica dos danos nos músculos do pavimento pélvico durante um parto vaginal<br>P. Maia, M.P.L. Parente, R.M. Natal Jorge, A.A. Fernandes                                             |
| 12:00 | 3041 | Análise cinemática da marcha no 3º trimestre de gravidez e pós-parto<br>M. Branco, R. Santos-Rocha, L. Aguiar, F. Vieira, A.P. Veloso                                                            |
| 12:15 | 3059 | Relação das forças reativas do apoio durante o caminhar e a atividade física em mulheres pós-menopáusicas<br>J. Fonseca, R. Gabriel, J. Tavares, F. Aragao, A. Leite, J. Faria, H. Moreira       |
| 12:30 | 3064 | Forças reactivas do apoio durante o caminhar e densidade mineral óssea do calcâneo em mulheres pós-menopáusicas<br>M. Pereira, R. Gabriel, F. Aragão, J. Fonseca, A. Leite, A. Faria, H. Moreira |
| 12:45 | 3099 | Contribuição dos momentos de força do membro inferior no salto unilateral (hopping)<br>F. Joao, A. Veloso, S. Cabral, V. Moniz-Pereira, T. Kepple                                                |

## CELL-FREE LAYER MEASUREMENTS IN A BIFURCATION MICROCHANNEL: COMPARISON BETWEEN A MANUAL AND AUTOMATIC METHODS

David Bento<sup>1</sup>, Diana Pinho<sup>1,2</sup>, Elmano Pinto<sup>1</sup>, Tomoko Yaginuma<sup>1</sup>, Teresa Correia<sup>1,3</sup>, José Lima<sup>1,4</sup>,  
Ana I. Pereira<sup>1,5</sup>, Carla S. Fernandes<sup>1</sup>, Ricardo Dias<sup>1,2</sup>, Rui Lima<sup>1,2</sup>

<sup>1</sup> ESTiG, Polytechnic Institute of Bragança, IPB, Bragança, Portugal;  
[dbento.tomoko.cveiga@iph.pt](mailto:dbento.tomoko.cveiga@iph.pt); [elmanopinto@hotmail.com](mailto:elmanopinto@hotmail.com)

<sup>2</sup> CEFT, Faculdade de Engenharia da Universidade do Porto (FEUP), Porto, Portugal;  
[diana.ruimec.riardod@iph.pt](mailto:diana.ruimec.riardod@iph.pt)

<sup>3</sup> CIMO/ESA, Polytechnic Institute of Bragança, Portugal; [tcorreia@iph.pt](mailto:tcorreia@iph.pt)

<sup>4</sup> INESC, Faculdade de Engenharia da Universidade do Porto (FEUP), Porto, Portugal; [jlina@iph.pt](mailto:jlina@iph.pt)

<sup>5</sup> Algoritmi, Universidade do Minho; [apereira@iph.pt](mailto:apereira@iph.pt)

**KEYWORDS:** Cell-free layer, Bifurcation, Automatic Method.

**ABSTRACT:** *In the present work, in vitro blood flowing through a bifurcation microchannel was studied. The aim was to develop different automatic methods capable to measure the cell-free layer (CFL) thickness in the input and output of the microchannel. The results were compared with the trajectories of the CFL obtained manually. The method with the best results was the method that uses the binarization.*

### 1 INTRODUCTION

Blood flow in microcirculation shows several hemodynamic phenomena, *in vivo* and *in vitro*. Hence, over the years *in vitro* blood studies in microchannels have been extensively performed in order to obtain an understanding of blood rheology and its flow dynamics [1, 2]. The Fahraeus-Lindqvist effect is one of the physical reasons for the tendency of RBCs to migrate toward the centre of the microtube resulting in a marginal cell-free layer (CFL) at regions adjacent to the wall [3]. Recently several studies showed strong evidence that the formation of the CFL is affected by the geometry of the microchannel [4-7] and the physiological conditions of the working fluid, such as the haematocrit (Hct) [8, 9]. Until now, most of the experimental data resulted from the studies have been analysed manually. The manual methods can be highly reliable but they are relatively time consuming and can also introduce user

errors into the data. So, as an outcome it is essential to develop image analysis methods able to process the data automatically. In this point, image analysis plays an extremely important role to obtain information about the blood rheology [10].

In this study, the experimental phase was performed using a confocal microscopy system. It was used the image analysis techniques to measure several trajectories of the CFL in a microchannel with a diverging and converging bifurcation. In this study it is compare one manual method and two automatic methods developed in MatLab

The paper is organized as follows. The Section 2 presents the experimental set-up. In Section 3 is described the manual method and the two proposed automatic methods. In Section 4 is presented and discussed the results, following the Section

5 and 6, Conclusion and Future Work respectively.

## 2 EXPERIMENTAL SET-UP

The confocal micro-PIV system used in this study consists of an inverted microscope (IX71; Olympus) combined with a high-speed camera (*i-SPEED* LT). The microchannel was placed on the stage of the inverted microscope and a pressure-driven flow was kept constant based on a syringe pump (PHD ULTRA). The confocal images have the resolution of  $800 \times 600$  pixel at a frame rate of 100 frames/s.

The working fluid used in this study was Dextran 40 (Dx-40; Otsuka Medicine) containing 5 and 10% ( $\pm 2\%$ ) i.e., Hct = 5 and 10 by volume of RBCs. The blood was collected from a healthy sheep and was added heparin to prevent clotting. Further, the cells were separated from blood by centrifugation.

## 3 IMAGE ANALYSIS

### 3.1 MANUAL METHOD

A manual tracking plugin (MTrackJ) [6] of an image analysis software (Image J, NIH) [7] was used to track individual RBC flowing around the boundary of the RBCs core. By using MTrackJ plugin, the centroid of the selected RBC was automatically computed.



Fig. 1 Manual method showing a trajectory of a labeled RBC.

After obtaining  $x$  and  $y$  positions, the data were exported for the determination of each individual RBC trajectory.

### 3.2 AUTOMATIC METHODS

All image sequences were processed using image processing techniques provide by MatLab [11].

Firstly, a median filter was applied to each frame to remove the noise from the images, by using a  $3 \times 3$  mask. Then the intensity of each pixel in the frame sequences was evaluated to obtain an image with the maximum intensity. In the Method A, we used the previous image, and found the edges of the channels by using the Canny algorithm [11] (Fig. 2 a)). After selected the region of interest, upper and lower CFL trajectories were automatically measured. In the case of the Method B, the image with the maximum intensity was converted into a binary image (Fig. 2 b)), and the upper and lower CFL trajectories were automatically measured.




Fig. 2: Automatic Methods: a) Method A; b) Method B.

## 4 RESULTS AND DISCUSSION

The results were taken in the inflow and outflow of the microchannels, Fig. 3. The flow rate used was a 500nl/min and two fluids were studied, respectively with 5 and 10% of Hct.




Fig. 3 Geometry used in the study, and the representation of where is taken the results.

In Table 1, the results from the three methods are presented.

Table 1 - Comparison between the different methods.

|         | Hct | Manual<br>( $\mu\text{m}$ ) | Automatic<br>A ( $\mu\text{m}$ ) | Automatic<br>B ( $\mu\text{m}$ ) |
|---------|-----|-----------------------------|----------------------------------|----------------------------------|
| Inflow  | 5%  | 16.0249                     | 11.6508                          | 22.5815                          |
|         | 10% | 11.7096                     | 8.2707                           | 12.2182                          |
| Outflow | 5%  | 14.4679                     | 6.7014                           | 21.321                           |
|         | 10% | 10.7721                     | 3.7087                           | 15.2006                          |

The data obtained from both automatic methods presents some different results from the manual data. However, the results obtained from the Method B, as shown in the Fig. 4, present best results because they have a similar behavior between both.




Fig. 4 Comparison between the manual and the two automatic methods.

The Method A, by applying the Canny filter along the channel, have a constant decreases of the CFL thickness and this behavior is not observed in the case of the manual method. Though, in the case of the Method B that use the binarization, presents the same comportment of the manual method. Other result analysis that is possible to observe for the three methods is the CFL decreasing from the inflow to the outflow and that the hematocrit has a considerable influence in the CFL thickness, increasing the hematocrit the CFL decreases.

## 5 CONCLUSIONS

The present study indicates that the proposed automatic Method B have the best agreement to data obtained from the manual method. This method uses the binarization of the image with the maximum intensity.

From the inflow to the outflow is possible to observe a decreasing of the CFL thickness and the CFL tend to decrease as the Hct increases. Hence, the Method B may be a promising way to carry on this study.

## 6 FUTURE WORK

In this type of study the quality of the image sequence plays a crucial rule and as result we plan to obtain sequence of images with more quality and to use an objective lens with better resolution. Additionally, we also plan to improve the current automatic method to obtain similar results to those obtained manually.

## ACKNOWLEDGMENTS

The authors acknowledge the financial support provided by: PTDC/SAU-BEB/108728/2008, PTDC/SAU-BEB/105650/2008, PTDC/EMEMFE/099109/2008 and PTDC/SAU ENB/116929/2010 from the FCT (Science and Technology Foundation) and COMPETE, Portugal.

## REFERENCES

- [1] A. A. Pries, D. Neuhaus, P. Gaehtgens, "Blood viscosity in tube flow: dependence on diameter and hematocrit". *Am J Physiol* 263, H1770-H1778, 1992.
- [2] H. Goldsmith, G. Cokelet, P. Gaehtgens, "Robin Fahraeus: evolution of his concepts in cardiovascular physiology" *Am. J. Physiol.*, 257, H1005-H10015, 1989.
- [3] C. Caro, T. Pedley, R. Schroter, W. Seed, *The mechanics of the circulation*, Oxford University Press, 1978.
- [4] D. Pinho, *Determination and characterization of red blood cells trajectories: a semi-automatic method*, Master in Biomedical Technology, Polytechnic Institute of Bragança, Portugal, 2011 (in portuguese).
- [5] R. Lima, S. Wada, S. Tanaka, M. Takeda, et al, "In vitro blood flow in a rectangular PDMS microchannel: experimental observations using a confocal micro-PIV system", *Biomedical Microdevices*, 10,2, 153-167, 2008.
- [6] R. Lima, T. Ishikawa, Y. Imai, et al, "Radial dispersion of red blood cells in blood flowing through glass capillaries: role of hematocrit and geometry", *Journal of Biomechanics* 41, 2188-2197, 2008.
- [7] V. Leble, R. Lima, R. P. Dias, C. S. Fernandes, T. Ishikawa, Y. Imai, T. Yamaguchi, "Asymmetry of red blood cell motions in a microchannel with a diverging and converging bifurcation" *Biomicrofluidics* 5, 044120, 2011.
- [8] H. Fujiwara, T. Ishikawa, R. Lima, et al., "Red blood cells motions in high-hematocrit blood flowing through a stenosed microchannel", *Journal of Biomechanics* 42, 838-843, 2009.

[9] V. Garcia, R. Dias, R. Lima, *In Vitro Blood Flow Behaviour in Microchannels with Simple and Complex Geometries*, Applied Biological Engineering – Principles and Practice, Ganesh R. Naik (ed.), InTech, 17, 394–416, 2012.

[10] D. Pinho, R. Lima, A. I. Pereira, F. Gayubo, "Automatic tracking of labeled red blood cells in microchannels", *Int. J. Numer. Meth. Biomed. Engng.*, DOI: 10.1002/cnm., 2012.

[11] S. L. Eddins, R. C. Gonzalez, R. E. Woods, *Digital Image Processing Using Matlab*, 2002.