



**UN FOOD
CONFERENCE**
University of Belgrade
210th Anniversary
OCTOBER 5-6 2018

**PROGRAM
I
ZBORNIK RADOVA**

*Programme
&
Book of Abstracts*

Beograd, 5 i 6 oktobar 2018
Belgrade, Octobre 5-6, 2018

CIP-Kategorizacija u publikaciji
Narodna biblioteka Srbije, Beograd

Univerzitet u Beogradu
UNIFOOD CONFERENCE (2018; Beograd)
Program; i zbornik radova= Programme; & Book of Abstracts/
Beograd, 5 i 6 oktobar 2018 = Belgrade, Octobre 5-6 2018
[organizator] Univerzitet u Beogradu; [organized by] University of Belgrade
[urednici, editors Marina Soković, Živoslav Tešić] Beograd, Univerzitet u Beogradu

Radovi na srp i engl. jeziku – Tekst ćir i lat- Tiraž

ISBN 978-86-7522-060-2

UNIFOOD Konferencija, Beograd, 5-6 oktobar 2018
PROGRAM I ZBORNIK RADOVA

UNIFOOD Conference, Belgrade Octobre 5-6 2018
Programme and Book of Abstracts

Izdaje / Published by

Univerzitet u Beogradu / University of Belgrade

Studentski trg 1, 11000 Beograd

Tel/fax ; www.bg.ac.rs, email

Za izdavača / For Publisher

Vladimir Bumbaširević, rektor

Urednici / Editors

Marina Soković

Živoslav Tešić

Dizajn korica i kompjuterska obrada teksta / Cover Design Layout

Tomislav Tosti

Tiraž / Circulation

ISBN 978-86-7522-060-2


Naučni odbor / Scientific Committee

Dr. Marina Soković, predsednik–
Prof. Dr. Vladimir Bumbaširević
Prof. Dr. Živoslav Tešić
Prof. Dr. Mirjana Pešić
Prof. Dr. Ljiljana Mojović
Prof. Dr. Jelena Lozo
Prof. Dr. Ljiljana Gojković-Bukarica
Dr. Dragana Stanić-Vučinić
Prof. Dr. Bojana Vidović
Prof. Dr. Slavica Todić
Prof. Dr. Dušanka Milojković-Opsenica
Prof. Dr. Andreja Rajković
Prof. Dr. Nikola Tomić
Prof. Dr. Viktor Nedović
Prof. Dr. Miomir Nikšić
Prof. Dr. Branko Bugarski
Dr. Nataša Golić
Prof. Dr. Ivan Stanković
Prof. Dr. Slađana Šobajić
Prof. Dr. Jagoda Jorga
Prof. Dr. Nebojša Lalić
Dr. Miroslav Novaković
Dr. Uroš Anđelković
Dr. Danijela Mišić
Dr. Vuk Maksimović
Dr. Nevena Mihailović-Stanojević
Prof. Dr. Jevrosima Stevanović
Veljko Jovanović
Aleksandar Bogunović



Organizacioni odbor / Organizational Committee

Dr. Vladimir Mikić
Vladimir Marković
Ivana Isaković
Dr. Ana Jakovljević
Branka Janda-Marković
Nikola Savić
Snežana Pejović
Daniel Babić
Aleksandar Topalović
Ljiljana Konstantinović
Ljubica Dimitrijević
Jovana Ilić
Dr. Tomislav Tosti
Dr. Uroš Gašić
Dr Ivanka Ćirić





UNIFood Conference

October 5-6 2018 University of Belgrade **210th Anniversary**



		Chromatographic profile of fatty acids and sugars in cupcakes functionalized with an extract rich in rosmarinic acid
20	Đermanović et al.	Određivanje sadržaja sorbinske i benzojeve kiseline u paradajz sosu HPLC metodom Determination of sorbic and benzoic acid in tomato juice by HPLC method
21	Đikanović et al.	Koncentracije As, Cd, Cu, Fe, Hg, Pb i Zn u mišićnom tkivu skobalja, klena i soma sa akumulacije Međuvršje Concentrations of As, Cd, Cu, Fe, Hg, Pb and Zn in muscle tissue of common nase, chub and wels catfish from the Međuvršje reservoir
22	Đorđević et al.	Poboljšanje kvaliteta bezglutenskog hleba dodatkom vlakana šećerne repe Gluten-free bread quality enhancement by sugar beet fibre application
23	Đuričić et al.	Određivanje sadržaja nutritivnih komponenti u biljnim uljima Determination of nutritive compounds in vegetable oils
24	Đurović et al.	ICP-OES analiza ekstrakata lista koprive ICP-OES analysis of stinging nettle leaves extracts
25	Đogo et al.	Antibakterijska i antioksidativna aktivnost medova iz različitih regiona Srbije Antibacterial and Antioxidant Activity of Honeys from Different Regions of Serbia
26	Doroški et al.	Antioksidativni potencijal bukovače (<i>Pleurotus ostreatus</i>) uzgajane na supstratu sa različitim sadržajem komine grožđa i slame Antioxidative potential of the Oyster mushroom (<i>Pleurotus ostreatus</i>) cultivated on grape pomace and straw supstrate
27	Dragišić Maksimović et al.	Aktivnosti peroksidaza u plodovima maline kao parametar 'funkcionalne hrane' Profiling peroxidase activity of raspberry fruit-its association with the functional food
28	Dramićanin et al.	Ljuska krompira kao potencijalni izvor prirodnih antioksidanasa Potato peel as a potential source of natural antioxidants
29	Duletić Laušević	Ekstrakti ruzmarina kao moćni antioksidansi Rosemary extracts as potent antioxidant agents
30	Grabovac et al	Određivanje sadržaja fluorida u alkoholnim pićima potenciometrijskom metodom Determination of fluoride in alcoholic beverages by potentiometric method



UNIFood Conference

Posterska prezentacija u okviru sekcija / Poster presentation within sections
BEZBEDNOST I KVALITET HRANA / FOOD QUALITY AND SAFETY



BKHP19 / FQSP19

Chromatographic profile of fatty acids and sugars in cupcakes functionalized with an extract rich in rosmarinic acid

Cristina Caleja^{ab}, Lillian Barros^a, João C.M. Barreira^a, Ana Ciric^c, Marina Sokovic^c, Ricardo C. Calhelha^a, M. Beatriz P.P. Oliveira^b, Isabel C.F.R. Ferreira^{a*}

^a Centro de Investigação de Montanha (CIMO), Instituto Politécnico de Bragança, Campus de Santa Apolónia, 5300-253 Bragança, Portugal

^b REQUIMTE/LAQV, Faculty of Pharmacy, University of Porto, Rua Jorge Viterbo Ferreira, No. 228, 4050-313 Porto, Portugal

^c University of Belgrade, Department of Plant Physiology, Institute for Biological Research "Siniša Stanković", Bulevar Despota Stefana 142, 11000 Belgrade, Serbia

*iferreira@ipb.pt

Currently, the food industry is interested in replacing artificial additives by natural ingredients. Some plant extracts have emerged as possible alternatives to artificial preservatives, namely antioxidants. In fact, dairy, meat and bakery products have been developed, incorporating extracts of aromatic plants, spices or fruits, which have antioxidant properties. In this work, the preserving effectiveness of an extract rich in rosmarinic acid was tested in cupcakes and compared to an artificial additive (potassium sorbate, E202). The extract was obtained from *Melissa officinalis* L. (lemon balm) by applying an ultrasound technique using a mixture of ethanol/water as the extraction solvent. After confirming its antioxidant properties (free radical scavenging effect $EC_{50} = 79 \pm 2 \mu\text{g/mL}$; reducing power $EC_{50} = 49 \pm 1 \mu\text{g/mL}$), antimicrobial (against 8 bacteria and 8 food contaminating fungi), and absence of toxicity (in cell lines), it was incorporated in cupcakes, and analysed immediately after incorporation and after 3 and 5 days of storage at room temperature and protected from light. All samples were analysed chromatographically in terms of fatty acids (GC-FID) and free sugars (HPLC-RI). Regarding fatty acids, a total of 21 molecules were identified, with predominance of saturated fatty acids in all cupcakes samples. Individually, palmitic acid and oleic acid were detected in the highest percentages. Among free sugars, sucrose (the major form) and glucose were identified in all samples. The results demonstrate that the addition of the extract rich in rosmarinic acid caused no changes in fatty acids and sugars' profiles, having the potential to be used in pastry products, meeting the current consumers demand.

Acknowledgement: The authors are grateful to the Foundation for Science and Technology (FCT, Portugal) and FEDER under Programme PT2020 for financial support to CIMO (UID/AGR/00690/2013), REQUIMTE (UID/QUI/50006/2013 - POCI/01/0145/FERDER/007265) and C. Caleja (SFRH/BD/93007/2013) grant. This work is funded by the European Regional Development Fund (ERDF) through the Regional Operational Program North 2020, within the scope of Project NORTE-01-0145-FEDER-023289: DeCodE.

Hromatografski profil masnih kiselina i šećera u kolačima funkcionalizovanim ekstraktom bogatim rozmarinskom kiselinom

Cristina Caleja^{ab}, Lillian Barros^a, João C.M. Barreira^a, Ana Ciric^c, Marina Sokovic^c, Ricardo C. Calhelha^a, M. Beatriz P.P. Oliveira^b, Isabel C.F.R. Ferreira^{a*}

^a Centro de Investigação de Montanha (CIMO), Instituto Politécnico de Bragança, Campus de Santa Apolónia, 5300-253 Bragança, Portugal

^b REQUIMTE/LAQV, Faculty of Pharmacy, University of Porto, Rua Jorge Viterbo Ferreira, No. 228, 4050-313 Porto, Portugal

^c University of Belgrade, Department of Plant Physiology, Institute for Biological Research "Siniša Stanković", Bulevar Despota Stefana 142, 11000 Belgrade, Serbia

*iferreira@ipb.pt

Industrija hrane trenutno je veoma zainteresovana postojanjem mogućnosti zamene veštačkih aditiva prirodnim sastojcima. Izvesni biljni ekstrakti pojavili su se kao moguće alternative veštačkim konzervansima, pre svega antioksidanti. Štaviše, razvijaju se mlečni proizvodi, meso i proizvodi iz pekarske industrije koji u sebi sadrže ekstrakte aromatičnih biljaka, začina ili voća, a koji istovremeno pokazuju antioksidativna svojstva. U ovom radu ispitivana je efikasnost očuvanja ekstrakta bogatog rozmarinskom kiselinom u kolačima, koja je potom upoređena sa veštačkim aditivom (kalijum sorbat, E202). Ekstrakt je dobijen od biljke *Melissa officinalis* L. (matičnjak) primenom ultrazvučne tehnike koristeći smešu etanola/vode kao rastvarača za ekstrakciju. Nakon utvrđivanja antioksidativnih (efekat uklanjanja slobodnih radikala $EC_{50} = 79 \pm 2 \mu\text{g/mL}$; smanjenje jačine $EC_{50} = 49 \pm 1 \mu\text{g/mL}$) i antimikrobnih svojstava (protiv 8 bakterija i 8 gljiva koje zagađuju hranu), kao i utvrđivanja odsustva toksičnosti (u ćelijskim linijama), ekstrakt bogat rozmarinskom kiselinom dodat je u kolače i analiziran odmah nakon dodavanja, kao i nakon 3 i 5 dana skladištenja na sobnoj temperaturi i na mestu zaštićenom od svetlosti. Svi uzorci su analizirani hromatografski u smislu masnih kiselina (GC-FID) i slobodnih šećera (HPLC-RI). Kada su u pitanju masne kiseline, identifikovan je ukupno 21 molekul, sa najvećim procentom zasićenih masnih kiselina u svim uzorcima kolača. Pojedinačno, palmitinska kiselina i oleinska kiselina su detektovane u najvećem procentu. Od slobodnih šećera, saharoza (glavni oblik) i glukoza identifikovane su u svim uzorcima. Rezultati pokazuju da dodavanje ekstrakta bogatog rozmarinskom kiselinom nije prouzrokovalo promene u profilima masnih kiselina i šećera. Time je uočen potencijal korišćenja ovog ekstrakta u pecivima i pekarskoj industriji, imajući u vidu da uspešno zadovoljava trenutno potražnju među potrošačima.

Priznanja: Autori zahvaljuju Fondaciji za nauku i tehnologiju (FCT, Portugal) i FEDER u okviru Programa PT2020 za finansijsku podršku CIMO-u (UID/AGR/00690/2013), REQUIMTE (UID/QUI/50006/2013 - POCI/01/0145/FERDER/007265) i C. Caleja (SFRH/BD/93007/2013) odobreni grant. Ovaj rad finansira Evropski fond za regionalni razvoj (ERDF) kroz Regionalni operativni program North 2020, u okviru Projekta NORTE-01-0145-FEDER-023289: DeCodE.