

**XXI ENCONTRO
GALEGO
PORTUGUÉS DE
QUÍMICA**

Pontevedra (España)

2015

XXI ENCONTRO GALEGO-PORTUGUÉS DE QUÍMICA
Noviembre 2015

Coordinador Editorial

Antonio Macho Senra

Edita

Colegio Oficial de Químicos de Galicia
Rúa Urzaiz, 1 – 2ª dcha.
36201 Vigo (Pontevedra)
www.colquiga.org

Portada

Imagen: Designed by Freepik.com

Tirada

250 Ejemplares

Imprime

Diputación Provincial de Pontevedra

Depósito Legal

VG 683-2015

ISBN

978-84-608-3441-0

Este libro de comunicaciones y conferencias, presentadas en el XXI Encontro Galego-Portugués de Química, ha sido editado con el patrocinio de la Diputación Provincial de Pontevedra.

Catalogación recomendada

Libro de resúmenes del XXI Encontro Galego-Portugués de Química
Pazo da Cultura de Pontevedra (España) 2015

© Colegio Oficial de Químicos de Galicia

Derechos reservados. Prohibida la reproducción de este libro por cualquier medio, total o parcialmente, sin permiso expreso del editor.

El coordinador editorial declara que el contenido de los resúmenes científicos es de la entera responsabilidad de los respectivos autores.

The antioxidant activity of novel chromones and xanthenes: a structure-activity relationship

**C. Proença¹, D. Ribeiro¹, M. Freitas¹, H. M. T. Albuquerque², C. M. M. Santos^{2,3},
A. M. S. Silva², E. Fernandes¹**

¹UCIBIO-REQUIMTE, Laboratório de Química Aplicada, Departamento de Ciências, Faculdade de Farmácia, Universidade do Porto, Rua de Jorge Viterbo Ferreira, 228, 4050-313 Porto, Portugal

²Departamento de Química & QOPNA, Universidade de Aveiro, 3810-193 Aveiro, Portugal

³Escola Superior Agrária, Instituto Politécnico de Bragança, 5301-855 Bragança, Portugal

Chromones and xanthenes are oxygen-containing heterocyclic compounds with bioactive properties widely reported in the literature, specially concerning to their antioxidant properties. The search for new natural and synthetic chromone and xanthone derivatives order to evaluate and discover new structural features rendering optimized biological effects has been a challenge. Thus, the aim of this work was to evaluate the scavenging activity of reactive oxygen (ROS) and nitrogen (RNS) species of new synthetic hydroxylated chromones and xanthenes (Fig. 1) using *in vitro* non-cellular systems. These compounds exhibited scavenger effects dependent on the concentration, with IC₅₀ values found at the micromolar range. The overall scavenging activity of chromones was better than xanthenes, specially the one of chromone **3A**. In conclusion, the novel tested chromone and xanthone scaffolds proved to be promising pharmacophores with potential therapeutic applications as antioxidant agents.




Figure 1: Chemical structures of the tested compounds.

Acknowledgements

We would like to thank FCT (Fundação para a Ciência e Tecnologia, Portugal) for the financial support to UCIBIO-REQUIMTE through the project UID/Multi/04378/2013. Marisa Freitas also acknowledges the FCT financial support for the Post-doctoral grant (SFRH/BPD/76909/2011) in the ambit of “POPH - QREN - Tipologia 4.1 - Formacao Avançada” co-sponsored by FSE and national funds of MCTES. We would like to thank University of Aveiro and FCT/MEC for the financial support to the QOPNA research Unit (FCT UID/QUI/00062/2013), through national funds and where applicable co-financed by the FEDER, within the PT2020 Partnership Agreement.