

Micro Biotec'13

PORTUGUESE CONGRESS OF
MICROBIOLOGY AND BIOTECHNOLOGY

6th - 8th December | Aveiro Portugal

Abstracts Book



Presidentes das Sociedades

SPM Isabel Sá Correia
SPBT José Teixeira

Comissão Organizadora

António C.M. Correia (DBUA) Co-chair
Manuel A. Coimbra (DQUA) Co-chair
Anabela Pereira (DBUA)
Artur Alves (DBUA)
Cláudia Nunes (DQUA)
Cláudia Passos (DQUA)
Dulce Helena Teixeira (DQUA)
Elisabete Coelho (DQUA)
Maria Ângela Cunha (DBUA)
Sónia Mendo (DBUA)

Comissão Científica

António Correia (UA)	João Mano (UM)
Arsénio Fialho (IST, IBB)	João Queiroz (UBI)
Ascensão Reis (UNL)	Joaquim Cabral (IST)
Cecília Arraiano (ITQB/UNL)	Jorge Pedrosa (UM,ICVS)
Cecília Leão (UM, ICVS)	José Teixeira (UM)
Cecília Roque (UNL)	Luísa Peixe (UP, FF)
Célia Manaia (ESB, UCP)	Madalena Alves (UM)
Elsa Anes (FF, UL/IMM)	Manuel Carrondo (FCT/UNL)
Eugénio Ferreira (UM)	Manuel Mota (UM)
Francisco Gírio (LNEG)	Manuel Santos (UA)
Gabriel Monteiro (IST)	Margarida Casal (UM, CBMA)
Guilherme Matos Ferreira (UA)g)	M. Leonor Nunes (IPIMAR)
Helena Gil (UCoimbra)	Miguel Prazeres (IST)
Helena Santos (ITQB/UNL)	Milton Costa (FCT/UC)
Hermínia de Lencastre (ITQB/UNL)	Nelson Lima (UM, IBB)
Ilda Sanches (FCT/UNL, CREM)	Pedro Moradas Ferreira (IBMC)
Isabel Sá Correia (IST, IBB)	Raquel Aires Barros (IST)
Ivonne Delgadillo (UA)	Rogério Tenreiro (FC/UL, BioFIG)
João Coutinho (UA)	Tim Hogg (ESB,UCP)

Food Microbiology & Biotechnology

P035

EVALUATION OF THE SENSORY QUALITY OF MONOFLORAL HONEY

L. M. Estevinho¹; S. Lopes¹; A. Pascoal¹; M. Carvalho¹

¹CIMO–Mountain Research Center. Agricultural College of Bragança, Polytechnic Institute of Bragança, Campus Santa Apolónia, E 5301–855, Bragança, Portugal.

Honey is an alimentary product much appreciated due to his aroma, flavor and nutritional characteristics. The sensorial analysis is important in the evaluation of the quality and authenticity of monofloral honeys. It considers attributes as color, aroma, consistence and flavor, which are interlinked and depend on the volatile compounds related with the fragrance of the flowers where the nectar was collected. The aroma and the flavor are also related directly with honeys' color.

The objective of this work was to evaluate the pollinic profile and the sensorial characteristics of four honeys from biological mode of production.

The pollen analysis indicated that all of the analyzed honeys were monofloral, presenting as dominant pollen *Lavandula sp.* (45.83%), *Erica sp.* (49.69%), *Prunus sp.* (61.91%) and *Castanea sp.* (69.01%).

The results obtained in the sensorial analysis performed by the consumer's panel were treated by the Generalized Procrustes method. It was verified that the attributes that the consumers managed to evaluate more easily and whose contribution for the global appreciation was more accentuated were the color, the flavor and the consistence.

The cherry tree honey presented higher values in the scale of preferences in terms of global appreciation, color, flavor, consistence and intermediate values regarding the aroma. Concerning the heather honey, aroma was the most valued attribute. Honeys from chestnut and rosemary were the ones that received lowest punctuation.