


EXPERIMENTAL MECHANICS

New Trends and Perspectives

J.F. Silva Gomes, Mário A.P. Vaz
Editors



*Proceedings of the 15th International Conference on Experimental
Mechanics, Porto, Portugal, 22-27 July 2012*

Edições INEGI

ICEM15

EXPERIMENTAL MECHANICS
(NEW TRENDS AND PERSPECTIVES)

ICEM15

EXPERIMENTAL MECHANICS
(NEW TRENDS AND PERSPECTIVES)

Editors

J.F. Silva Gomes, Mário A.P. Vaz

Edições INEGI
(2012)

TABLE OF CONTENTS

Preface		xxxvii
Organizing Committees		xxxix
ICEM15 Tracks and Symposia		xli
Acknowledgments		xlii
A. KEYNOTE PAPERS		1
3815-KP	MULTIFUNCTIONAL NANO-TAILORED ADHESIVES FOR SELF-HEALTH MONITORING OF AIRCRAFT. Shaker A. Meguid.	3
3827-KP	EXPERIMENTAL MECHANICS IN AERONAUTICS: BEHIND THE LEGACY 500 PRODUCT DEVELOPMENT. Gustavo B. Guimarães.	5
3820-KP	HIGH-SPEED, HIGH ACCURACY AND LOW COST SHAPE MEASUREMENT SYSTEMS USING PHASE ANALYSIS OF GRATING PROJECTED BY MULTI-LINE LED LIGHT SOURCES. Yoshiharu Morimoto, Akihiro Masaya, Motoharu Fujigaki, Daisuke Asai.	7
3819-KP	THE OPTICAL METHOD OF CAUSTICS FOR THE SOLUTION OF FRACTURE MECHANICS PROBLEMS. Emmanuel Gdoutos.	9
2649-KP	THE MEASUREMENT AND INTERPRETATION OF MATERIAL AND STRUCTURAL BEHAVIOURS IN MICRO LATTICE STRUCTURES MANUFACTURED USING SELECTIVE LASER MELTING. Robert A.W. Mines, Rafidah Hasan.	11
3821-KP	SPEEDING UP CREEP TESTS OF NOVEL HIGH TEMPERATURE COMPOSITES. Sergei T. Mileiko.	13
3045-KP	FORENSIC DETERMINATION OF RESIDUAL STRESSES FROM FRACTURE SURFACES. Michael B. Prime, Adrian T. DeWald, Michael R. Hill.	15
3825-KP	EXPERIMENTAL MECHANICS IN BIOMEDICAL ENGINEERING AND HUMAN ENHANCEMENT. Mário A.P. Vaz.	17
3826-KP	MECHANICAL CHARACTERIZATION OF STRUCTURES - FROM THE MICROSCOPIC LEVEL OF MATERIALS UP TO THE STRUCTURAL LEVEL OF BUILDINGS. J. Füssl, K. de Borst, B. Pichler, J. Eberhardsteiner.	19
3831-KP	HOW TO MEASURE THE REAL FRACTURE TOUGHNESS IN BRITTLE MATERIALS? PAST, PRESENT AND FUTURE TECHNIQUES. José Ygnacio Pastor.	21
3823-KP	EXPERIMENTAL DYNAMIC ANALYSIS IN EARTHQUAKE ENGINEERING RESEARCH. Alfredo Campos Costa.	23
B. TRACKS / MAIN TOPIS		25
TRACK_A: TESTING AND DIAGNOSTICS		27
2642	A TENSILE CIRCULAR RING METHOD FOR MEASURING YOUNG'S MODULUS OF THIN FLEXIBLE MULTI-LAYERED MATERIALS. Atsumi Ohtsuki.	29
2866	COMPLEX YOUNG MODULUS FOR RUBBERCORK COMPOSITES. I. Guelho, L. Reis, M. Fontul.	31

2979	NOVEL ALLOYS FOR SOLDERING CARBON NANOTUBES FIBERS AND OTHER CARBON BASED STRUCTURES. Marek Burda, Andrzej Gruszczyk, Tomasz Kik, Krzysztof Koziol, Agnieszka Łękawa-Raus.	411
3119	FULL-FIELD STRESS AND STRAIN MEASUREMENT IN (STRUCTURED) MEMBRANES. Johan Hoefnagels, Jan Negggers, François Hild, Stéphane Roux, Marc Geers.	413
3031	THICKNESS DEPENDENCE OF THE INTERNAL FRICTIONS IN COPPER THIN FILM. Yu-Ting Wang, Chi-Jia Tong, Ya-Chi Cheng, Ming-Tzer Lin.	415
2542	PROPERTIES OF POLYMER COMPOSITES FILLED WITH SiO ₂ , ZNO AND Mg(OH) ₂ NANO POWDER. Munir Tasdemir, Sezgin Ersoy.	417
3054	THE RESIDUAL STRESSES ON MECHANICAL PROPERTIES OF COPPER THIN FILMS. C.M. Fernandes, M.F. Vieira, M.T. Vieira.	419
TRACK_H: BIOMECHANICAL APPLICATIONS		421
2796	EXPERIMENTAL AND NUMERICAL VALIDATION OF A COMMERCIAL PRESS-FIT FEMORAL PROSTHESIS. Ricardo J.J. Duarte, António Ramos, Carlos Relvas, António Completo, José A. Simões.	423
2643	ASSESSMENT OF EFFICIENCY AND VIBRO-ACOUSTIC BEHAVIOUR OF PROSTHESIS PROTOTYPES. Marco Troncosi, Emanuele Gruppioni, Alessandro Rivola.	425
2825	COMPARATIVE ANALYSIS OF MATERIALS OF PROSTHETIC LINERS FOR LOWER LIMB AMPUTEES. Elisa G. Marchesin, Chiara Colombo, Laura Vergani.	427
2873	THE EFFECT OF REPEATED IMPACTS ON LUMBAR INTERVERTEBRAL DISC MECHANICS DURING A DIURNAL CYCLE. David Jamison, Christopher J. Massey, Eric C. Pierce, Michele A. Marcolongo.	429
2620	MODAL TESTING IS A VALID METHOD FOR MEASURING THE MECHANICAL PROPERTIES OF HUMAN LUMBAR MOTION SEGMENTS. S.J.P.M. VanEngelen, M.H.M. Ellenbroek, B.J. VanRoyen, A. DeBoer, J.H. VanDieen.	431
2547	A COMPARATIVE STRAIN ANALYSIS OF BONE DEFECT REPAIR TECHNIQUES IN PROXIMAL TIBIA. Antonio Completo, Ricardo Duarte, Antonio Ramos, Carlos Relvas, Joana Pereira, Susana Meireles, José A. Simões.	433
2566	BONE STRAIN ASSESSMENT IN A SECTION OF A CEMENTED HIP REPLACEMENT: NUMERICAL AND EXPERIMENTAL VALIDATION. A. Ramos, C. Relvas, A. Completo, J. A. Simões.	435
2559	AN INITIAL APPROACH ON ARTHRITIS HIP JOINT USING FINITE ELEMENT METHOD. Wei Li, Damian Griffin, Ken Mao, Derek Chetwynd.	437
2624	STUDY OF MECHANICAL BEHAVIOUR OF BLOOD BY RHEOMETRY. M.M. Alves, C. Rocha, M.P. Gonçalves.	439
2757	PSEUDO-DYNAMIC ANALYSIS OF THE BIOMECHANICS OF THE HIP REPLACEMENT USING A FORCE METHOD BASED ON THE NEWMARK ALGORITHM. Pedro Talaia, António Ramos, Francisco J. Queirós de Melo, José A. Simões.	441
2681	IDENTIFICATION OF LUMBAR DISC DEGENERATION FROM DIVERGENT VALUES IN THE STIFFNESS MATRIX: WORK IN PROGRESS. S.J.P.M. VanEngelen, M.H.M. Ellenbroek, A. DeBoer, J.H. Van Dieen.	443
2956	DEVELOPMENT OF A BIOMECHANICAL EXPERIMENTAL METHOD TO PRODUCE AND TO ANALYSE THORACOLUMBAR BURST FRACTURES. S. D'Houtaud, M. Saget, F. Hesser, P. Doumalin, J.C. Dupré, F. Brémand, P. Maxy, P. Rigoard, A. Germaneau.	445
2754	MANUFACTURING OF LOWER-LIMB CUSTOM FIT PROSTHETICS SOCKET USING REVERSE ENGINEERING. Ana Curralo, Luís Queijo, João Rocha.	447

2822	THE INFLUENCE OF BONE MECHANICAL PROPERTIES ON THE BEHAVIOR OF THE CADAVERIC MANDIBLE - EXPERIMENTAL AND NUMERIC CORRELATION. Hugo R. Marques, António Ramos, Carlos Relvas, António Completo, José A. Simões.	449
2842	DEVELOPMENT OF AN IMPLANTABLE TENSOMETER FOR IN VIVO STRAIN MEASUREMENT OF BIOLOGICAL MATERIALS. Riley Meehan, Anil Saigal, Thomas P. James.	451
3101	BIO-CAD MODELING OF HUMAN KNEE. Hacene Ameddah, Mekki Assas.	453
2771	ANALYSIS OF THE KINEMATICS OF GAIT OF YOUNG ADULT FEMALE CARRYING A COMPUTER BAG WITH SINGLE HANDLE. João Rocha, Luis Queijo.	455
2854	OTOSCLEROSIS AND ITS CORRECTION. Fernanda Gentil, Carolina Garbe, Marco Parente, Pedro Martins, Renato N. Jorge.	457
2870	STUDY OF THE EFFECT OF DIFFERENT EARDRUM THROUGH THE ANALYSIS OF STAPEDIUS MUSCLE STRAIN. Carolina Garbe, Fernanda Gentil, Marco Parente, Pedro Martins, Renato N. Jorge.	459
2878	COMPARISON BETWEEN MECHANICAL PROPERTIES AND MICROSTRUCTURE OF ALLOY TI-6AL4V, COLD WORK VERSUS PROTOTYPES BY DIRECT METAL LASER SINTERING. Rafael F. Gregolin, Thais M. Lenquist, Marcelo C. Anibal, Davi S. Borghi, Ruis C. Tokimatsu.	461
2917	ANGULAR ANALYSIS OF THE SHOT IN SUSPENSION IN VOLLEYBALL: A CASE STUDY IN VOLLEYBALL PLAYERS OF BOTH SEXES OF SCHOOLS OF THE CITY OF MAPUTO AGED 14-16 YEARS. G. Macha, A. Graziano.	463
3024	EXPERIMENTAL STUDY ABOUT CHECK VALVE IN NEUROLOGICAL APPLICATION. Camila Bim, Edson Vieira, Sérgio S. Mansur, Marcos P. Barbosa, José R.C. Pinto, Angelo L. Maset.	465
3020	EXPERIMENTAL BIOMECHANICAL CHARACTERIZATION AND NUMERICAL ANALYSIS OF THE TEMPOROMANDIBULAR JOINT. María-Jesús Lamela, Pelayo Fernández, David Dorantes, Alberto Ramos, Eiji Tanaka, Antonio Argüelles, Alfonso Fernández-Canteli.	467
2629	DYNAMICS IN MOTION OF DANDELION FLOWER HEAD. Seiichi Sudo, Masahiro Shiono, Atsushi Shirai, Toshiyuki Hayase.	469
2758	EXPERIMENTAL STUDY OF ACOUSTIC STREAMING PHENOMENON GENERATED BY PIEZOELECTRIC TRANSDUCERS. S.O. Catarino, J.M. Miranda, S. Lancers-Mendez, G. Minas.	471
2787	EVALUATION OF MAINTAINABILITY IN ANESTHESIA CARTS. Paulo Francisco Carmo, Rogerio Amaral, Gustavo Tomazi Ludwig.	473
2647	THE ACOUSTIC POLYACTIVE MATRIX FOR FORMATION OF A WIDE SPECTRUM OF SPATIO-TEMPORAL ACOUSTIC INFLUENCES. Altksey A. Novikov, Jacob B. Shuster, Maxim A. Khazanov, Sergey V. Barinov, Tatyana K. Denisov.	475
2679	BIOMECHANICAL BEHAVIOR OF THE SYSTEM PROsthESIS/ DENTAL IMPLANT: ANALYSIS BY THE PHOTOELASTICITY METHOD. Sarah B. Lopes, Cássia B. Corrêa, Cleudmar A. Araújo, Luis G. Vaz.	477
2929	MACRO MODEL OF A BRACKET FOR THE MEASUREMENT OF FORCES INVOLVED IN ORTHODONTIC DEVICES, NUMERICAL AND EXPERIMENTAL VALIDATION. Margarida Bola, António Ramos, Carlos Relvas, António Completo, José A. Simões.	479
2887	HYPERELASTICITY OF RUBBER-LIKE MATERIALS USING EVOLUTIONARY OPTIMIZATION TECHNIQUES. Pedro Martins, Renato N. Jorge, Pedro Talaia, Luana Souto.	481
2964	MEASURING THE OPTICAL ROTATION ANGLE AND CIRCULAR DICHROISM OF ANISOTROPIC OPTICAL MEDIA USING OPTICAL HETERODYNE INTERFEROMETER. Yu-Lung Lo, Chang-Ye Li.	483

2697	DIFFERENT FACTOR INFLUENCE ON THE REACTION TO FIRE PERFORMANCE OF WOOD MATERIALS. Edgars Buksans, Andris Morozovs.	795
2833	EVALUATION OF PERFORMANCE UNDER FIRE OF COMPRESSED EARTH BLOCKS. Márcio Buson, Nuno Lopes, Humberto Varum, Rosa Maria Sposto, Paulo VilaReal.	797
2846	MEASURING THERMAL MATERIAL PROPERTIES FOR STRUCTURAL FIRE ENGINEERING. Johan Sjöström, Robert Jansson.	799
3103	MECHANICAL PROPERTIES OF GYPSUM BOARDS AT HIGH TEMPERATURES. Ima Rahmadian, Yong-Chang Wang.	801
3152	EXPERIMENTAL TESTING ON THE RESIDUAL MECHANICAL PROPERTIES OF ORDINARY CONCRETES AFTER FIRE. Cristina C. Santos, João P.C Rodrigues.	803
2677	CONCRETE-FILLED STRUCTURAL HOLLOW SECTIONS IN FIRE: ACCOUNTING FOR HEAT TRANSFER ACROSS A GAP. David Rush, Eoin O'Loughlin, Luke Bisby.	805
2776	ROBUSTNESS OF COMPOSITE STEEL-CONCRETE OPEN CAR PARK BUILDINGS SUBJECT TO LOCALISED FIRE. Cécile Haremza, Aldina Santiago, Luís Simões da Silva.	807
2809	EXPERIMENTAL TESTS OF PARTIALLY ENCASED BEAMS AT ELEVATED AND ROOM TEMPERATURE. Paulo A.G. Piloto, Ana B.R. Gavilán, Luís M.R. Mesquita, Luísa Barreira, Carlos Gonçalves.	809
3062	FIRE PERFORMANCE OF STEEL HOLLOW COLUMNS FILLED WITH CONCRETE, REINFORCED CONCRETE AND FIBER REINFORCED CONCRETE. Tiago A.C. Pires, João P.C. Rodrigues, José J.R. Silva, António M. Correia.	811
3170	EXPERIMENTAL AND NUMERICAL SIMULATION OF A NATURAL FIRE IN A COMPARTMENT. C.J.M. Teixeira, J.P.C. Rodrigues, P. Barata, T.A. Pires.	813
3810	BEHAVIOUR OF THE REVERSE CHANNEL CONNECTION BETWEEN AN I-BEAM AND CFT COLUMNS IN THE FULL-SCALE FIRE TESTS. Fernanda Lopes, Aldina Santiago, José G.S. Silva, Luís S. Silva.	815
SYMP_10: EXPERIMENTAL CHARACTERIZATION OF RENEWABLE COMPOSITES		817
3835-IP	DESIGN FOR SUSTAINABILITY WITH COMPOSITE SYSTEMS. A.T. Marques, José Luís Esteves, Júlio Viana, Nuno Loureiro, Alberino Arceiro (Invited Paper).	819
2743	EXPERIMENTAL STUDY OF THE MECHANICAL PROPERTIES OF UNIDIRECTIONAL FLAX FIBER COMPOSITE. E. Sparrins, J. Modniks, J. Andersons.	821
2856	MECHANICAL CHARACTERISATION OF POLYESTER RESIN AND CORN NATURAL FIBERS COMPOSITE. Luis Queijo, João Rocha.	823
3097	BUGGY BONNET EXPERIMENTAL MODAL ANALYSIS. Samuel Furtado, Arlindo Silva, António R. Ribeiro, Cristiano Alves.	825
3824	MECHANICAL BEHAVIOUR OF COMPOSITE MATERIALS WITH LONG JUTE FIBERS. José L. Esteves, T. Estevão, O. Ferreira, C. Fernandes.	827
SYMP_11: TRIBOLOGY IN MECHANICAL COMPONENTS AND MACHINE ELEMENTS		829
3776-IP	STRATEGY FOR TRIBOLOGY TESTING AND DESIGN THROUGH THE NASA TECHNICAL READINESS LEVEL (TRL) SYSTEM. Vern Wedeven, Graham Wedeven, Steve Kratz (Invited Paper).	831
3813	EFFECT OF ADDITIVES ON SURFACE PERFORMANCE. Pawel Rycerz, Amir Kadiric, Rihard Pasaribu, Guillermo M. Espejel, Andy V. Olver.	833
3722	FATIGUE LIFE OF MACHINE ELEMENTS - SOLID CONTAMINATION. Fabrice Ville, Sandrine Coulon, Ton Lubrecht.	835

SYMP_15: EXPERIMENTAL TECHNIQUES IN DENTAL MEDICINE		1037
2993	THE COMBINED USE OF PLASMA RICH IN GROWTH FACTORS AND XENOGRAFTS IN THE TREATMENT OF BONE DEFECTS AROUND IMPLANTS: AN EXPERIMENTAL STUDY. Isabel Guerra, Helena Figueiral, Mário Vasconcelos, José R. Campos, Fernando M. Branco, Américo Afonso.	1039
2790	MAXILLA BONE EVALUATION AND IMPLANT SURGICAL PLANNING IN A PERIODONTAL DISEASE PATIENT. Luís Queijo, João Rocha, André Ramos.	1041
3018	EVALUATION OF BONE AUGMENTATION IN THE MAXILLA USING 3D VOLUMETRIC RECONSTRUCTIONS. André Correia, Pedro C. Viana, Nuno Leal, Rui Neto, Mário A.P. Vaz, José R. Campos.	1043
3182	MEASURING SPEED AND TORQUE DURING ORAL IMPLANT DRILLING. E. Januzzi, B. Falcão, R. Ribeiro, J.C. Reis Campos, F. Mares.	1045
2722	IL-1 GENE POLYMORPHISMS AND DENTAL IMPLANT LOSS. Paula Vaz, João Sampaio-Fernandes, M.J. Ponces, Maria Purificação Tavares, António Felino.	1047
2823	VALIDATION OF 3D FINITE ELEMENT MODEL BY ELECTRONIC SPECKLE PATTERN INTERFEROMETRY. Cássia B. Corrêa, Nuno V. Ramos, Jaime Monteiro, Luis G. Vaz, Mário A.P. Vaz.	1049
2767	IL-1 POLYMORPHISMS MAY PREDICT UNSUCCESSFUL DENTAL IMPLANTS?. Paula Vaz, Ana C. Braga, João Sampaio-Fernandes, Maria P. Tavares, António Felino.	1051
2968	TOTAL PROsthESIS - INTERDENTAL CONTACTS EVALUATION. Patrícia A. Fonseca, Maria Helena Figueiral, Mário A.P. Vaz, Jorge M. Reis.	1053
2872	MEASUREMENT OF POLEMERIZATION SHRINKAGE OF DENTAL COMPOSITE BY DIGITAL IMAGE CORRELATION METHOD. Pin-Sheng Huang, Shu-Fen Chuang, Terry Yuan-Fang Chen.	1055
2742	FORCE AND MOMENT/FORCE RATIO OF ORTHODONTIC LOOPS. Saul Castro, Maria C. Pollmann, Rui Moreira, Afonso P. Ferreira, M.J. Ponces Jorge D. Lopes.	1057
2834	CONDYLAR DISPLACEMENT ON THREE DIFFERENT BIOTYPEOLOGICAL FACIAL GROUPS. M.J. Ponces, A.P. Ferreira, J.P. Tavares, S. Castro, P. Vaz, J.D. Lopes.	1059
3169	EMBOUCHURE PRESSURE IN WIND INSTRUMENTALISTS. Miguel Clemente, Rui Correia, Adriano Sousa, Joaquim Gabriel, João C. Pinho.	1061
SYMP_16: METHODS IN BREAST CANCER COMPUTER AIDED DIAGNOSIS		1063
3004	BCDR: A BREAST CANCER DIGITAL REPOSITORY. Miguel A.G. López, Naimy G. Posada, Daniel C. Moura, Raúl R. Pollán, José M.F. Valiente, César S. Ortega, Manuel R. Solar, Guillermo D. Herrero, Isabel Ramos, Joana P. Loureiro, Teresa C. Fernandes, Bruno M.F. Araújo.	1065
2801	MIWAD: A SOFTWARE SUITE FOR BUILDING CAD METHODS. Jose M.F. Valiente, César S. Ortega, Manuel R. Solar, Guillermo D. Herrero, Raúl R. Pollán, Miguel A.G. López, Naimy G. Posada, Daniel Moura, Isabel Ramos, Joana Loureiro.	1067
3037	CLASSIFIER PERFORMANCE VS DATASET SIZE: A COMPARATIVE STUDY FOR BREAST LESIONS CLASSIFICATION. Daniel C. Moura, Miguel A. López, Raúl R. Pollán, Isabel Ramos, Joana P. Loureiro, Teresa C. Fernandes, Bruno M.F. Araújo.	1069
2998	CONTENT-BASED ORGANISATION OF BREAST CANCER IMAGES TO IMPROVE DIAGNOSTIC PROCESS. Damian Segrelles, Ignacio Blanquer, Rosana Medina, Vicente Hernández, Luis Martí, Daniel Almenar.	1071
3000	EVALUATION OF FEATURES SELECTION METHODS FOR BREAST CANCER CLASSIFICATION. Noel Pérez, Miguel A. Guevara, Augusto Silva.	1073
3110	AN INDEX-BASED APPROACH TO QUERY MAMMOGRAPHIC DATA BASES. Frederico Valente, Luís Bastião, Augusto Silva.	1075

PAPER REF: 2754

MANUFACTURING OF LOWER-LIMB CUSTOM FIT PROSTHETICS SOCKET USING REVERSE ENGINEERING

Ana Curralo¹, Luís Queijo^{1,2(*)}, João Rocha^{1,2}¹ESTiG - Polytechnic Institute of Bragança, Bragança, Portugal²elbeR - Centro de Investigación en Biomecánica y Ergonomía, Universidad de Valladolid, Valladolid, Spain

(*)Email: lqueijo@ipb.pt

ABSTRACT

The objective of this project is the construction of an orthopaedic prosthesis for a person who has been lower limb amputated, above the knee, taking attention to the specifications of the amputation stump. Through this method the actual process of prosthesis design in rehabilitation technology is improved by applying reverse engineering and additive manufacturing technologies. The outcome of this work is a personalized prosthesis building procedure that should allow a stump-socket best fit and avoid the numerous iterations done until a proper fit is obtained with traditional methods.

INTRODUCTION

An amputation always causes consternation. It can be seen as the last recursive solution for a major health problem. This body mutilation will cause changes in amputee's life activity, their independence and self-esteem. Most of times, in lower limb amputee's, prosthetics adaptation can be a major problem in the rehabilitation field. It is not only need a supplementary effort for human body readapt to a new condition in terms of balance and movement as it is to have stump perfect fits. It is not easy to have a perfect fit between stump and prosthetics socket. To minimize this situation some biomedical engineering tools can provide mechanical conditions to solve these health problems and improve these group of people lifestyles (Eder et al., 2010).

For several years, persons who have been amputated lower limb, above the knee, had access to low-fit prosthesis once their characteristics did not depended of user's specificities. They caused them fairly discomfort, serious lesions and were extremely limited. A revolution in this type of prosthetic design began at the end of World War II with the development of new materials and a dramatic improvement in the understanding of biomechanics (Sewell et al., 2000).

The current prosthetic socket construction and fabrication process does not take patient specific parameters into account. It is based onto subjective estimations, competence and capabilities of the orthopaedic technician and therefore causes a high rate of inappropriate prosthetic supplies (Eder et al., 2010). Nowadays the people required better quality, functionality and safety in their treatment, without compromising the biocompatibility and the best way to successfully achieve their needs. Using the current techniques of production and manufacture of orthopaedic prosthetic, economic costs and time take a high value, so the new technology of additive manufacturing is one better alternative for obtaining these products (AIMME, 2010).

Through reverse engineering techniques such 3D scanning has been possible to capture stump's size and shape and have a digital 3D model to work with in order to manufacture prosthetics socket. Additive manufacturing provides an economic and fast way to directly manufacture sockets and socket moulds depending on the material to be used in prosthetic socket manufacture.

Although, additive manufacturing technology has been successfully applied in several areas as biomodeling technique (Queijo et al., 2011), in the case of orthopaedic prostheses we have to evaluate the biocompatibility properties of the material used for manufacturing. Old materials like leather, metal and wood have been replaced by thermoplastics, thermosetting resins, composite materials and more flexible materials of various kinds. All these materials are classified as biomaterials, compatible with this technology, allowing custom development orthopaedic prostheses in order to satisfy the quality requirements, functionality, safety and biocompatibility to the concerned person (Eder et al., 2010) (Sewell et al., 2000).

RESULTS AND CONCLUSIONS

With this work we can take as conclusion that reverse engineering used in conjunction with additive fabrication composes a viable alternative to the traditional methods of prosthetics manufacturing. These two constitutes a suitable technology to improve prosthetics manufacturing procedures systematization based in patient's personal characteristics.

For one side, reverse engineering through shape acquisition systems allow to acquire stump's shape and size while additive manufacturing allow socket fabrication with straight tolerances.

With technology innovation used we can obtain a virtual three-dimensional model of the person's stump and get all the exact dimensions for the same. These models allow us to create a virtual prosthesis socket where the stump fits, with no hollow spaces or places which cause excessive pressure on the soft tissues. Using the help of physical and mechanical calculations we can optimize the characteristics of the prosthesis for its results, when used, be the best. Concerning manufacturing, the prosthesis had to be built with a material chosen very carefully, in view of its functionality and its need of biocompatibility with soft tissues of the stump. The final prosthesis has all the features that satisfy the requirements of quality, functionality, safety and biocompatibility.

REFERENCES

- [1]-Eder, F.; Kovacs, L.; Müller, C.; Pathak, H.; Pecher, M.; Raith, S.; Volf, S. Patient-Specific Optimization of Prosthetic Socket Construction and Fabrication Using Innovative Manufacturing Processes: A Project in Progress. 2010.
- [2]-Sewell, P.; Noroozi, S.; Vinney, J.; Andrews, S. Developments in the trans-tibial prosthetic socket fitting process: a review of past and present research. *Prosthet Orthot Int.* 2000;24(2):97-107.
- [3]-AIMME, U.d.I.d.P. FABIO: Desarrollo y aplicación de nuevos biomateriales y de nuevas técnicas de fabricación rápida para la obtención de una generación innovadora de ortesis, sustitutos óseos y prótesis totales de cadera personalizados. AIMME - Instituto Tecnológico Metalomecánico; 2010.