



**XXI Encontro
Sociedade Portuguesa
de Eletroquímica**

**XVIII Encontro
Ibérico
de Eletroquímica**

**XXI Meeting of the Portuguese Electrochemistry Society
&
XVIII Iberian Electrochemistry Meeting
Abstract Book**

**XXI Encontro da Sociedade Portuguesa de Eletroquímica
&
XVIII Encontro Ibérico de Eletroquímica
Livro de Resumos**

Bragança, Portugal ◀ 14-17 setembro 2016



Title

XXI Meeting of the Portuguese Electrochemistry Society &
XVIII Iberian Electrochemistry Meeting

Título

XXI Encontro da Sociedade Portuguesa de Eletroquímica &
XVIII Encontro Ibérico de Eletroquímica

Event Abbreviation / Abreviatura do Evento

SPE2016

Coordination / Coordenação

António M. Peres (Instituto Politécnico de Bragança, Portugal)
Conceição Angélico (Instituto Politécnico de Bragança, Portugal)
Luís G. Dias (Instituto Politécnico de Bragança, Portugal)
Maria José Arabolaza (Instituto Politécnico de Bragança, Portugal)
Miguel Vilas-Boas (Instituto Politécnico de Bragança, Portugal)

Edition / Edição

Instituto Politécnico de Bragança · 2016
5300-253 Bragança · Portugal
Tel. (+351) 273 303 200 · Fax (+351) 273 325 405
<http://www.ipb.pt>

Imaging services / Serviços de imagem

Atilano Suarez (Instituto Politécnico de Bragança, Portugal)

URI

<http://hdl.handle.net/10198/12931>

ISBN

978-972-745-213-2





PC

POSTER COMMUNICATIONS

COMUNICAÇÕES EM POSTER

PC13

Qualitative evaluation of Tunisian olive oils using an electronic tongue and chemometric tools: a prospective study.

Souihli Slim^{a,b}, Nuno Rodrigues^{c,d}, Luís G. Dias^{a,e}, Ana C.A. Veloso^{f,h}, José A. Pereiraⁱ, Souheib Oueslati^b, António M. Peres^j

^a Escola Superior Agrária, Instituto Politécnico de Bragança, Campus Santa Apolónia, 5300-253 Bragança, Portugal.

^b Université Libre de Tunis, 32 Bis avenue Kheireddine Pacha, 1002 Tunis, Tunisia.

^c REQUIMTE-LAQV/CIMO, Escola Superior Agrária, Instituto Politécnico de Bragança, Campus Santa Apolónia, 5300-253 Bragança, Portugal.

^d Universidad de León, Departamento de Ingeniería Agrária, Av. Portugal, nº 41, 24071 León, España.

^e CQ-VR, Centro de Química – Vila Real, University of Trás-os-Montes e Alto Douro, Apartado 1013, 5001-801 Vila Real, Portugal

^f Instituto Politécnico de Coimbra, ISEC, DEQB, Rua Pedro Nunes, Quinta da Nora, 3030-199 Coimbra, Portugal

^h CEB - Centre of Biological Engineering, University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal

ⁱ REQUIMTE-LAQV, Escola Superior Agrária, Instituto Politécnico de Bragança, Campus Santa Apolónia, 5300-253 Bragança, Portugal.

^j Laboratory of Separation and Reaction Engineering - Laboratory of Catalysis and Materials (LSRE-LCM), Escola Superior Agrária, Instituto Politécnico de Bragança, Campus Santa Apolónia, 5300-253 Bragança, Portugal

* peres@ipb.pt

Olive oil commercialization has a great impact in the regional economy of several countries including Tunisia. It is a high-value food product, quite prone to frauds. So, it is important to establish analytical techniques that can ensure labeling correctness regarding olive oil quality as well as its origin, namely concerning the olive(s) cultivar(s) used in the production, which is of major importance for monovarietal olive oils. Traditional analytical techniques like those based on chromatography are quite expensive, time-consuming, not portable and difficult to implement in-situ, considering the usual harsh environments of the olive industry. In this work, the feasibility of using an electronic tongue as a classification tool for discriminating Tunisian olive oils according to their quality level (i.e., extra virgin olive oil, virgin olive oil or lampante olive oil) and olive cultivar (i.e., Chetoui, Shali and others, according to the label information) was evaluated for the first time. Olive oil quality was assessed quality parameters (free acidity, peroxide values, K_{232} and K_{270} extinction coefficients) and on the organoleptic evaluation carried out by a sensory panel parameters (according to the International Olive Council directives). The potentiometric signal profiles recorded with the electrochemical multi-sensor device during the electrochemical analysis of olive oils' hydroethanolic extracts (≈ 5 min), coupled with linear discriminant models, established based on the most informative sub-sets of sensors, selected by a simulated annealing algorithm, were able to satisfactorily perform olive oils discrimination according to:

- (i) Olive cultivar: sensitivities of 88% for leave-one-out cross-validation and mean sensitivities of 79% for the repeated K-folds cross-validation (4 folds with 10 repeats), achieved with a multivariate model based on the information gathered by 20 sensors of the electronic tongue; and,
- (ii) Quality level: sensitivities of 91% for leave-one-out cross-validation and mean sensitivities of 84% for the repeated K-folds cross-validation (4 folds with 10 repeats), achieved with a multivariate model based on the information gathered by 26 sensors of the electronic tongue.

Overall, the results show the satisfactory performance of a potentiometric electronic tongue containing cross-sensitivity lipid membranes as sensors, which may be tentatively attributed to the capacity of the electrochemical device in discriminating olive oils with different polar compounds contents, which are related to specific sensory attributes of olive oils such as bitterness and pungency. Furthermore, the present study, concerning Tunisian olive oils analysis using an electronic tongue, confirms the results previously reported in the literature for olive oils from other geographical origins.

QUALITATIVE EVALUATION OF TUNISIAN OLIVE OILS USING AN ELECTRONIC TONGUE AND CHEMOMETRIC TOOLS: A PROSPECTIVE STUDY

Souihli Slim^{1,2}, Nuno Rodrigues^{3,4}, **Luís G. Dias**^{1,5}, Ana C.A. Veloso^{6,7}, José A. Pereira⁸, Souheib Oueslati², António M. Peres⁹

1: ESA, Instituto Politécnico de Bragança, Bragança, Portugal; **2:** Université Libre de Tunis, Tunis, Tunisia; **3:** Universidad de León, Departamento de Ingeniería Agrícola, León, España; **4:** REQUIMTE-LAQV/CIMO, ESA, Instituto Politécnico de Bragança, Bragança, Portugal; **5:** CQ-VR, Centro de Química – Vila Real, Universidade de Trás-os-Montes e Alto Douro, Vila Real, Portugal; **6:** Instituto Politécnico de Coimbra, ISEC, DEQB, Coimbra, Portugal; **7:** CEB, University of Minho, Braga, Portugal; **8:** REQUIMTE-LAQV, ESA, Instituto Politécnico de Bragança, Bragança, Portugal; **9:** LSRE-LCM, ESA, Instituto Politécnico de Bragança, Bragança, Portugal

(*) peres@ipb.pt



INTRODUCTION

- ✓ Olive oil commercialization has a great impact in the regional economy of several countries including Tunisia.
- ✓ It is a high-value food product, quite prone to frauds.
- ✓ Traditional analytical techniques are quite expensive, time-consuming, not portable and difficult to implement in-situ, due to the harsh environments of the olive industry.
- ✓ In this work, the feasibility of using an electronic tongue as a classification tool for discriminating Tunisian olive oils

ELECTRONIC TONGUE

Potentiometric system
(all-solid-state electrodes)

20 lipidic polymeric membranes (**x2**)
Ag/AgCl reference electrode
Data acquisition with DataLogger Agilent

Each **lipidic polymeric membrane** contains:

32% of PVC;
65% of plasticizer;
3% of additive compound.

Additive compound

[1] Octadecylamine
[2] Oleyl alcohol
[3] Methyltriethylammonium chloride
[4] Oleic acid

Plasticizer

[A] Bis(1-butylpentyl) adipate
[B] Dibutyl sebacate
[C] 2-Nitrophenyl-octylether
[D] (2-ethylhexyl)phosphate
[E] Dioctyl phenylphosphonate




Figure 1 – Multi-sensor analytical system:

- 1 - PC for data acquisition;
- 2 - DataLogger Agilent;
- 3 - Electronic tongue;
- 4 - Magnetic stirrer.

Double multi-sensor system:
40 sensors

Electronic tongue analysis

TUNISIAN OLIVE OILS

Quality: **EVOO (3); VOO (4) & LOO (36)**

(according to physico-chemical & sensory analysis)

Cultivar: **Chetoui cv. (11); Sahli cv. (26) & others cvs. (4)**

(according to the label information)

Extraction with H₂O:EtOH (80:20 v/v),
to obtain a polar compounds rich-solution

OBJECTIVES

ELECTRONIC TONGUE (multi-sensor system)

Chemical sensors with high stability and cross-sensitivity
to different substances in solution

TO OBTAIN

Olive oils' signals profiles corresponding to a
fingerprint of sample matrix

TO APPLY

Chemometric methods:

- Linear discriminant analysis (LDA)
- Simulated annealing (SA) variable selection algorithm
- Leave-one-out cross-validation (LOO-CV)
- Repeated K-folds-CV (repeated K-folds-CV)

TO ALLOW

Olive oils' identification/classification according to:

- Olive oil quality (EVOO, VOO & LOO)
- Olive cultivar (Chetoui, Sahli & others)

RESULTS

Establishment of the best E-tongue-LDA-SA models:

→ variable selection with simulated annealing (SA) algorithm

→ sub-set with minimum number of sensors => maximum correct classification,

- LOO-CV


- repeated K-folds-CV: K=4 folds $\left\{ \begin{array}{l} 75\% \text{ data for training} \\ 25\% \text{ data for internal validation} \end{array} \right\} \times 10 \text{ repeats}$

i) Olive oils' quality discrimination: EVOO, VOO & LOO

→ model with 26 potentiometric sensor signals

→ 91% of predictive correct classifications for LOO-CV

→ 84% of predictive correct classifications for repeated K-folds-CV




ii) Olive oils' discrimination according to Tunisian cultivars: Chetoui, Sahli & others

→ model with 20 potentiometric sensor signals

→ 88% of predictive correct classifications for LOO-CV

→ 79% of predictive correct classifications for repeated K-folds-CV



CONCLUSIONS

- The potentiometric E-tongue coupled with a LDA-SA procedure demonstrated to be a fast and cost-effective tool for :

→ **Tunisian olive oils' predictive classification according to olive cultivar,**

→ **Tunisian olive oils' predictive classification according to quality grade.**

- The overall results achieved confirmed the E-tongue potential for olive oil analysis, previously reported by our research group [1-6] as well as other research groups [7-12].

Acknowledgements

This work was co-financed by Project POCI-01-0145-FEDER-006984 – Associated Laboratory LSRE-LCM funded by FEDER funds through COMPETE2020 – Programa Operacional Competitividade e Internacionalização (POCI), by national funds through FCT – Fundação para a Ciência e a Tecnologia, and by the strategic funding of UIDB/04469/2013 unit. Nuno Rodrigues thanks FCT, POPH-OREN and FSE for the Ph.D. Grant (SRFH/BD/104038/2014).

REFERENCES

- [1] Peres et al. (2014) Procedia Engineering, 87: 192-195; [2] Dias et al. (2014) Food Chemistry, 160: 321-329; [3] Veloso et al. (2016) Talanta, 146: 585-593; [4] Dias et al. (2016) European Food Research and Technology, 242: 259-270; [5] Rodrigues et al. (2016) LWT - Food Science and Technology, 73: 683-692; [6] Rodrigues et al. (2016) European Food Research and Technology (DOI: 10.1007/s00217-016-2773-2); [7] Apetrei et al. (2010) Analytica Chimica Acta, 663: 91-97; [8] Apetrei & Apetrei (2013) Food Research International, 54: 2075-2082; [9] Cosio et al. (2007) Food Chemistry, 101: 485-491; [10] Haddi et al. (2013) Food Research International, 54: 1488-1498; [11] Oliveri et al. (2009) Analytical and Bioanalytical Chemistry, 395: 1135-1143; [12] Rodríguez-Méndez et al. (2008) Electrochimica Acta, 53: 5867-5872

**XXI Encontro
Sociedade Portuguesa
de Eletroquímica**

**XVIII Encontro
Ibérico
de Eletroquímica**

Bragança, Portugal • 14-17 setembro 2016



**INSTITUTO POLITÉCNICO
DE BRAGANÇA**



**SOCIEDADE PORTUGUESA DE ELECTROQUÍMICA
PORTUGUESE ELECTROCHEMICAL SOCIETY**



CERTIFICADO

A Comissão Organizadora do
XXI Encontro da Sociedade Portuguesa de Eletroquímica
&

XVIII Encontro Ibérico de Eletroquímica
que decorreu nos dias 14 a 17 de Setembro de 2016,
no Instituto Politécnico de Bragança, Portugal,
informa que a

Comunicação em poster
intitulada

**Qualitative evaluation of Tunisian olive oils using an electronic tongue
and chemometric tools: a prospective study**

e com o(s) autor(es)

**Souihli Slim, Nuno Rodrigues, Luís G. Dias, Ana C.A. Veloso, José A.
Pereira, Souheib Oueslati, António M. Peres**

foi apresentada.

Conceição Angélico

Presidente da
Comissão Organizadora

Albino Bento

Escola Superior Agrária de
Bragança
Rua de Sta Apolónia

3000-253 Bragança
Diretor da Escola Superior Agrária
Instituto Politécnico de Bragança



BioLogic
Science Instruments



Miranda do Douro
câmara municipal