

# PHOTOMECHANICS 2006

*International conference  
on full-field measurement techniques  
and their applications in experimental  
solid mechanics*



## Book of abstracts

Edited by  
Michel Grédiac and Jonathan Huntley

Clermont-Ferrand, France  
July 10-12, 2006

# MEASURING DISPLACEMENT FIELD AND DETECTION OF UNBONDED REGIONS IN A SINGLE LAP JOINT WITH MOIRÉ INTERFEROMETRY

João Ribeiro\*, Mário Vaz\*\*, Hernâni Lopes\*, Jaime Monteiro\*\*\*, Paulo Piloto\*

\* Instituto Politécnico de Bragança  
Escola Superior de Tecnologia e de Gestão  
Campus de Sta Apolónia, Apt. 1134, 5301-857 Bragança, Portugal  
e-mail: jribeiro@ipb.pt, hlopes@ipb.pt, ppiloto@ipb.pt, web <http://www.ipb.pt>

\*\* Faculdade de Engenharia da Universidade do Porto  
Departamento de Engenharia Mecânica e Gestão Industrial  
Rua Dr. Roberto Frias s/n, 4200-465 Porto, Portugal  
e-mail: gmavaz@fe.up.pt, web <http://www.fe.up.pt>

\*\*\* Instituto de Engenharia Mecânica e Gestão Industrial  
Laboratório de Óptica e Mecânica Experimental  
Rua do Barroco, nº 174, 4465-591 Leça do Balio, Portugal  
e-mail: jmont@fe.up.pt, web <http://paginas.fe.up.pt/~inegi/lome/>

## Conference Topic:

## Abstract

The goal of this work is the development of an experimental technique to measure the displacement field and to perform detection of unbonded regions [1] in a single lap joint [2, 3]. The proposed experimental technique is based on the use of Moiré Interferometry. It is a field technique that allows in-plane displacement measurements without contact and with high resolution [4, 5]. Grating replication techniques were developed to record high quality diffraction gratings onto the specimen's surfaces [6]. An optical set-up of laser interferometry was developed to generate the master grating (virtual) [7]. A tension load was applied to a lap joint and its deformation was accessed by the interference between the reference grating, recorded on the object surface, and virtual master grating generated by laser interferometry. A phase shifting technique [8] was implemented to allow the phase map calculation and Image processing techniques [9] will be used to assess the in-plane displacement field.

Numerical simulations obtained with the finite element code ANSYS were used to calculate the displacement field [10, 11]. An unbonded region in a single lap joint was numerically simulated with isoparametric quadrangular element of eight nodes and results compared with those obtained in the experimental work. The displacement fields experimentally measured (a) and numerically calculated (b) for the horizontal direction are represented in figure 1, for a single lap joint.




Figure 1 – Displacement field: (a) experimental results; (b) numerical simulation.

Figure 2 represents the simulation of a single lap joint with an unbonded region. As can be seen in this figure, the debonded region is clearly seen in the strain field. A defected lap joint will be produced and used to record its displacement field. Differentiation algorithms will be used to access the displacement field gradients.




Figure 2 – Numerical simulation of a single lap joint with an unbonded region.

### References

- [1] Hein, V. L. and Erdogan (1971) Stress Singularities in Two-Material Wedge, *Int. J. Fract. Mech.*, Vol. 7, pg. 317-330.
- [2] Penado, F. E. and Dropeck, R. K. (1996) Engineered Materials Handbook – Adhesives and Sealants, *ASTM*, Vol. 3.
- [3] Ribeiro, J. E. and Esteves, J. L. (1997) Determination of Stress Concentration Factor on a Single Lap Joint by Photoelastic Analysis, *Proc. Euromech Colloquium 358*, Nevers, France.
- [4] Post, D.; Han, B.; Ifju, P. (1997) High Sensitivity Moiré: Experimental Analysis for Mechanics and Materials, *Springer Verlag*.
- [5] Cloud, Gary (1998) Optical Methods of Engineering Analysis, *Cambridge University Press*.
- [6] Walker, C. A. (2004) Handbook of Moiré Measurement, *Edited by C A Walker*, Institute of Physics Publishing, Bristol and Philadelphia.
- [7] Ribeiro, J., Lopes, H., Vaz, M., Piloto, P., (2005) Técnicas de Medição de Deslocamento no Plano, *VI Encontro Nacional da APAET*, Açores.
- [8] Creath, K. and Schmit, J. (1996), N-point Spatial Phase-measurement Techniques for Non-destructive Testing, *Optical and Lasers in Engineering*, 24, pg. 365-379.
- [9] Ghiglia, D.C. and Pritt, M.D. (1998) Two-dimensional phase unwrapping: theory, algorithms, and software, *New York: Wiley*.
- [10] Carpenter, W. C. and Barsoum, R. (1989) Two finite Elements for Modeling the Adhesive in Bonded Configurations, *J. Ades.*, Vol. 30, pg. 25-46.
- [11] Zienkiewicz, O. C. and Taylor, R. L. (1998) The finite element method, *McGraw Hill*, Vol. 1.

# PHOTOMECHANICS 2006

## FULL PROGRAMME

---

### SUNDAY 9<sup>TH</sup> JULY 2006

18:00-20:00 Pre-registration and welcome reception at the *Holiday Inn* hotel, downtown Clermont-Ferrand

---

### MONDAY 10<sup>TH</sup> JULY 2006

---

08:00 Registration and refreshments

---

08:45 Welcome address  
*Blaise Pascal Amphitheatre*

---

#### KEYNOTE LECTURE 1

*Blaise Pascal Amphitheatre*  
Chair: J.M. Dulieu-Barton, University of Southampton, UK

09:00      ***Photomechanics in dynamic fracture and friction studies***  
K. Ravi-Chandar (USA)

---

#### Session 1 – FRACTURE MECHANICS

*Blaise Pascal Amphitheatre*  
Chair: J.M. Dulieu-Barton, University of Southampton, UK

---

09:45      ***Application of photoelasticity in mathematical modelling of crack tip stress fields***  
K. F. Tee (United Kingdom), C. J. Christopher (United Kingdom), E. A. Patterson (USA) and M. N. James (United Kingdom)

10:05      ***Optical investigation of mixed-mode dynamic crack growth in a functionally graded composite***  
H. V. Tippur and M. S. Kiruguilige (USA)

10:25      ***The path of a growing crack - experiment and simulation***  
P. Ståhle, C. Bjerkén and J. Gunnars (Sweden)

---

10:45 Refreshments

---

**16- Application of full field optical measurement techniques to investigate variability of Poisson effect in wood and wood-plastic composites (WPC) in creep conditions**

H.-L. Frandsen (Denmark), L. Muszynski (USA), Y. Wang (USA) and A. Sevrain (France)

**17- Identification of orthotropic stiffness of composites with the virtual fields method: optimization and experimental validation**

F. Pierron, G. Vert (France), R. Burguete (United Kingdom), S. Avril, R. Rotinat (France) and M. Wisnom (United Kingdom)

**18- Identification of elastoplastic parameters distributions using digital image correlation**

F. Latourte, A. Chrysochoos, S. Pagano and B. Wattrisse (France)

**19- A coupled FE based inverse strategy from displacement field measurement subject to an unknown distribution of forces**

E. Pagnacco and D. Lemosse (France)

**20- Analysis of the strain distribution during the simple shear test using the digital image correlation method**

A Ouafi, M. Gaspérini and J.-L. Dournaux (France)

**21- Measuring displacement field and detection of unbonded regions in a single lap joint with moiré interferometry**

J. Ribeiro, M. Vaz, H. Lopes, J. Monteiro and P. Piloto (Portugal)

**22- Experimental evidence of the load transfer zone in curved composite patches using the grid method**

J.-D. Mathias, X. Balandraud and M. Grédiac (France)

**23- Characterization of the mechanical behaviour of cancellous bone by means of a three dimension scanner technique**

C. Noirfalise, G. Poumarat and J.-F. Destrebecq (France)

**24- Generalized onion-peeling method for integrated photoelasticity of axisymmetric problems**

J. Anton and H. Aben (Estonia)

**25- Strain field analysis of cancellous bone under compression by image correlation**

H. Lopes, C. Nabais, R.M. Guedes, J.-L. Morais and J.-A. Simoes (Portugal)

**26- Discrepances between experiments and modelling : 3D-ESPI deformation measurements on compact tension test**

B. Gautier, A.-S. Bretelle, P. Lenny and P. Slangen (France)

**27- A novel application of electrolytic plating as a birefringent coating for photoelastic techniques**

J. Nawasra, G.C. Calvert and P. Bryanston-Cross (UK)

**Exhibitors**

**1- CEDIP Infrared**

**2- Foretech**

**3- Polytech-Pi**